2012 Consumer Confidence Report

water System Name:	R Howard Strasbaug	h Report Date: 7/1/2013
		ituents as required by state and federal regulations. This report shows uary 1 - December 31, 2012 and may include earlier monitoring data.
Este informe contiene infentienda bien.	ormación muy impor	tante sobre su agua potable. Tradúzcalo ó hable con alguien que lo
Type of water source(s) in	use: Commercially B	ottled Water
Name & location of source	(s): Crystal Springs 3215 Rockview	
	San Luis Obisp	oo, CA 93401
Drinking Water Source Ass	sessment information:	The sources are considered most vulnerable to the following
J		activities associated contaminants detected in water supply:
		Machine shops, automobile-gas stations. The sources are considered most vulnerable to the following activities associated
		contaminants not detected in the water supply: Lagoons and septic systems – low density.
Time and place of regularly	scheduled board meet	ings for public participation:
For more information, cont	act: Kirk Kingsley	Phone: 805 782-5370

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: Department permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (μg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the California Department of Public Health (Department) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. Department regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The Department allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 –	SAMPLING	RESULTS	SHOWING T	HE DETECT	TION OF	COLIFORM BACTERIA
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation	MC	L	MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.)	0	More than I sam month with a det		0	Naturally present in the environment
Fecal Coliform or <i>E. coli</i>	(In the year)	0	A routine sample sample detect tot and either sample fecal coliform or	al coliform e also detects	0	Human and animal fecal waste
TABLE 2	- SAMPLIN	G RESUL	rs showing	THE DETEC	CTION OI	LEAD AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)		ND		15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	1	ND		1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives

	TABLE 3	- SAMPLI	G RESULTS	FOR SODI	UM AND H	ARDNESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	4/29/2013	6.9		none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	4/26/2013	260		none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

Any violation of an MCL or Al	. is asterisked.	Additional	information rega	irding the vic	lation is provi	ded later in this report.
TABLE 4 – DET	ECTION OI	CONTAN	MINANTS WI	TH A <u>PRIN</u>	MARY DRIN	IKING WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) MRDLG	Typical Source of Contaminant
Chromium	4/29/2013	.016		50	(100)	Discharge from steel and pulp mills and chrome plating; erosion of natural deposits
TABLE 5 – DETEC	CTION OF	CONTAM	INANTS WITI	I A <u>SECO</u>	NDARY DRI	INKING WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Color	4/25/2013	1.0		15		Naturally-occurring organic materials
Total Dissolved Solids (TDS)	4/26/2013	260		1000		Runoff/leaching from natural deposits
Chloride	4/26/2013	2,5		500		Runoff/leaching from natural deposits; seawater influence
	TABLE 6	– DETEC	TION OF UNI	EGULAT:	ED CONTAI	MINANTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notifica	ition Level	Health Effects Language

^{*}Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. [INSERT NAME OF UTILITY] is responsible for

providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When
your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30
seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may
wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to
minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
				
-				
	;			

For Water Systems Providing Ground Water as a Source of Drinking Water

Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
(In the year)		0	(0)	Human and animal fecal waste
(In the year)		TT	n/a	Human and animal fecal waste
(In the year)		ТТ	n/a	Human and animal fecal waste
	Total No. of Detections (In the year) (In the year)	Total No. of Detections Sample Dates (In the year)	Total No. of Detections Sample Dates MCL [MRDL] (In the year) 0 (In the year) TT	Sample MCL (MCLG) MRDL MRDLG MRDLG MRDLG MRDLG MRDLG MRDLG

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL NOTICE OF FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLE
TO THE PROPERTY OF THE GROUND WATER BOOKED SAMELE
CDECLAT MOTICE FOR INCORDECTED CICALIFICANT PERFORMANCES
SPECIAL NOTICE FOR UNCORRECTED SIGNIFICANT DEFICIENCIES

	VIOLA	TION OF GROUND V	WATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
For S	Systems Providing S	urface Water as	a Source of Drinking Wa	ter
TABLE 8 -	SAMPLING RESULTS SI	HOWING TREATMI	ENT OF SURFACE WATER SO	OURCES
Freatment Technique (a)				OCITOLIS
Type of approved filtration	ı technology used)	Total dia 200	CI.	
urbidity Performance Star	adunda (b)		filtered water must: or equal to NTU in 95% of me	
	he water treatment process)	•	NTU for more than eight consecutive.	
			NTU at any time.	outive nouis.
owest monthly percentage	of samples that met Turbidity			
erformance Standard No.	1.	i		
				
Highest single turbidity me Number of violations of an	asurement during the year			
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in	asurement during the year y surface water treatment nded to reduce the level of a cor NTU) is a measurement of the	cloudiness of water and	is a good indicator of water quality a	and filtration performs
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in Turbidity results which Any violation of a TT is man	asurement during the year y surface water treatment anded to reduce the level of a connection NTU) is a measurement of the meet performance standards are urked with an asterisk. Addition	cloudiness of water and e considered to be in comp nat information regarding	er. is a good indicator of water quality a pliance with filtration requirements. I the violation is provided below. of a Surface Water TT	and filtration performs
) Turbidity (measured in Turbidity results which Any violation of a TT is ma	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and e considered to be in comp nat information regarding	is a good indicator of water quality a pliance with filtration requirements. the violation is provided below. of a Surface Water TT	and filtration performa
dighest single turbidity me dumber of violations of an equirements A required process inter Turbidity (measured in Turbidity results which any violation of a TT is man	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and e considered to be in compact information regarding on for Violation	is a good indicator of water quality a pliance with filtration requirements. the violation is provided below. of a Surface Water TT	and filtration performs Health Effects Language
lighest single turbidity me dumber of violations of an equirements A required process inter Turbidity (measured in Turbidity results which any violation of a TT is man	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and econsidered to be in compact information regarding on for Violation ON OF A SURFACE	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in Turbidity results which Any violation of a TT is ma	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and econsidered to be in compact information regarding on for Violation ON OF A SURFACE	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in Turbidity results which Any violation of a TT is ma	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and econsidered to be in compact information regarding on for Violation ON OF A SURFACE	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Highest single turbidity me Number of violations of an requirements A required process inter Turbidity (measured in Turbidity results which any violation of a TT is many violation of a TT is many violation.	asurement during the year y surface water treatment add to reduce the level of a core NTU) is a measurement of the meet performance standards are triked with an asterisk. Addition Summary Informati	cloudiness of water and econsidered to be in compact information regarding on for Violation ON OF A SURFACE	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in Turbidity results which any violation of a TT is may violation	asurement during the year y surface water treatment aded to reduce the level of a cor NTU) is a measurement of the meet performance standards are with an asterisk. Addition Summary Informati VIOLATI Explanation	cloudiness of water and considered to be in compact information regarding on for Violation ON OF A SURFACE Duration	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct the Violation	Health Effects Language
Highest single turbidity me Number of violations of an equirements A required process inter Turbidity (measured in Turbidity results which any violation of a TT is may violation	asurement during the year y surface water treatment aded to reduce the level of a cor NTU) is a measurement of the meet performance standards are with an asterisk. Addition Summary Informati VIOLATI Explanation	cloudiness of water and considered to be in compact information regarding on for Violation ON OF A SURFACE Duration	is a good indicator of water quality a pliance with filtration requirements. The violation is provided below. of a Surface Water TT WATER TT Actions Taken to Correct	Health Effects Language

ATTACHMENT 7

Consumer Confidence Report Certification Form

(to be submitted with a copy of the CCR)

Wate	r Syste	m Name: R	. Howard Strasbaugh	
Wate	r Syste	m Number: _4	000777	
given	7/ n). Fur	1/2013ther, the system	(date) to customers certifies that the informa	t its Consumer Confidence Report was distributed on s (and appropriate notices of availability have been ation contained in the report is correct and consistent mitted to the California Department of Public Health.
Certi	fied by	: Name:	Kirk Kingsley	<i></i>
		Signature	the c	wyo wy
		Title:	Maintenance	
		Phone Nu	mber: 805 782-5370	Date: 7/1/2013
To si all ite	ımmarı ems tha	ze report delive it apply and fill-i	ry used and good-faith e in where appropriate:	efforts taken, please complete the below by checking
X	CCR metho	was distributed ods used: Displa	by mail or other directlyed on company bulletin	et delivery methods. Specify other direct delivery n board and hand delivered.
	"Good follo	d faith" efforts wing methods:	were used to reach non-	-bill paying consumers. Those efforts included the
		Posting the CC	R on the Internet at www	W
		Mailing the CC	CR to postal patrons withi	in the service area (attach zip codes used)
		Advertising the	e availability of the CCR	in news media (attach copy of press release)
		Publication of published notice	the CCR in a local new be, including name of new	wspaper of general circulation (attach a copy of the wspaper and date published)
	X	Posted the CCI	R in public places (attach	a list of locations)
			ultiple copies of CCR to s businesses, and schools	single-billed addresses serving several persons, such
		Delivery to cor	nmunity organizations (a	attach a list of organizations)
		Other (attach a	list of other methods use	ed)
	For sy	ystems serving a llowing address:	t least 100,000 persons: www	Posted CCR on a publicly-accessible internet site at
				CR to the California Public Utilities Commission
This fo Regula	orm is pr tions	ovided as a convenie	ence and may be used to meet t	the certification requirement of section 64483(c), California Code of
		CR Forms & Instru	uctions	Revised Jan 2013

Page 1 of 1

CCR Certification Form – Attachment 7



Date of Report: 05/23/2013

Joe Ybarra

Crystal Springs Water 3215 Rockview Place San Luis Obispo, CA 93401

Project:

Water Analysis

BC Work Order:

1308436

Invoice ID:

B146815

Enclosed are the results of analyses for samples received by the laboratory on 4/17/2013. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Contact Person: Linda Phoudamneun

Client Service Rep

Authorized Signature

Certifications: CA ELAP #1186: NV #CA00014

Table of Contents

Sample Information	
Chain of Custody and Cooler Receipt form	3
Laboratory / Client Sample Cross Reference	5
Sample Results	
1308436-01 - Crystal Springs Spring Water	6
1308436-02 - Crystal Springs Drinking Water	12
1308436-03 - Crystal Springs Distilled Water	18
1308436-04 - Crystal Springs Fluoridated Water	24
Subcontract Reports	
WO_1308436_SUB_BABLK.pdf	25
wo_1308436_sub_BSKSA.pdf	32
WO_1308436_SUB_FRNTL.pdf	47
wo_1308436_sub_PACEA.pdf	57
wo_1308436_sub_WECKL.pdf	65
Notes	
Notes and Definitions	69



Chain of Custody and Cooler Receipt Form for 1308436 Page 1 of 2

TREQUIRED FIELDS # 1308436 Chystal Springs Water Joe Ybarra	;	
rings Water Joe Ybarra	TEMP:	
Joe Ybarra	Phone * # 805-543-5063 FAN * #305-543-1057	en en en skale en
	_{Бъныі} : jgybarra@gmail.com	ANALYSIS REQUESTED
Address* Since Zip* San Luls Obispo CA 93401	Curbun Cupins: CDHS	elseT
Project Information: Annual Title 21 SQL Quote #	Other Grand Co. C. Savins	dneigh.
npleted results sent? [J E-Mail [J] Fux [EDD]		анам
QC Request	System No.	abi
1 De la Car		
Matrik Typas: RSW = Rink Suface Waler CFW = Clotifiabled Finished Waler CWW = Chorinated Weale Waler BW = Badled Waler RCW = Rugw = RCW = Rugw = RCW = Rugw	SO = Salid	
	Mairix * Comments / Stution Cule	
以る()3 分析 Crystat Springs Spring Water	BW	
er	BW	
	BW	
よりない Springs Fluoridated Water	ЛЯ	,
Send C Copies of Y	2007 t	OHK BY CISTRIBUTION
		WAS JOS OF STANK
10 Clear		
Relinquisited by: (Signature and Printed Name) Company Date	Time Received by (Signature and Print Name)	JOHN CHARLOTHIG TIME
	20+20	9
1 Dail	There Regard by Signature and Print Name DO	CI2 GROW MBAS (COT)
Time Tries for Case the case of Case the case of Time Time	Payment Received of Deliyery:	Charles Proper 30 Init.
Shipping Method: CAO UPS GSO WALK-IN SJVC FED EX OTHER	od: / WET BLUE NONE	Paicking Material:



Chain of Custody and Cooler Receipt Form for 1308436 Page 2 of 2

BC LABORATORIES INC.		COOL	ER RECE	IPT FORI	VI	Rev. No. 13	08/17	/12 Pa	ge O	f
Submission #: 1308434						<u> </u>				
SHIPPING INFOR	MATION		,			SHIPPIN	G CONT	TAINER		
Federal Express D UPS D	Hand Deli	very 🗀	- 1		ice Chest			ne 🗀		
BC Lab Field Service 🖟 Other D] (Specify)				Box	反	Oth	er 🗆 (Spe	cify)	1
Refrigerant: Ice 🗆 Blue Ice 🗀	1 None		Other 🗀	Comm	ents:			·);		
	-	1								
Custody Seals Ice Chest C	Contain		None ;	Comr	nents:					li l
Intact7.Yes D. No.Cl.	Intact? Yes	II No C			· .					
All samples received? Yesy No 🛈	All samples	containers	Intact? Ye	16 03No 1		Dascrinti	oolst mate	h COC? Y	es Par No	n
	<u> </u>			/				1	1 /	
COC Received En	nissivity: _		Container: ,		Thermom	eter ID:		Date/Tim	e4/17/12	2 1230
MZ_YES □NO .	Cemperaturi	Rex	9//\ 7.44.1/\			£.		1	*]
,	i emperaturi	: (A) •	21.Ch	_°C /	(C I		°C	Analyst li	ant Pt	
					SAMPLE I	NUMBERS				
SAMPLE CONTAINERS	1				· · · · · · · · · · · · · · · · · · ·	. I		· · · · · ·		
OT GENERAL MINERAL/ GENERAL PHYSICAL	D€	DE	DE	4	5	<u> </u>	7	1		10
PT PE UNPRESERVED	4	Ġ	á	A					 	
				73		 		 -	 	┼
OT INORGANIC CHEMICAL METALS		<u>\{ \tau \} \</u>	니 <u>투</u>		ļ				<u> </u>	4
PT INORGANIC CHEMICAL METALS	Ţ	7	*** 7202	·				<u> </u>		-
PT CYANIDE .	<u> </u>	K_	K					<u> </u>	ļ	
PT NITROGEN FORMS	[ļ	<u> </u>	<u> </u>	
PT TOTAL SCILFIDE	ļ									
20z. NITRATE / NITRITE										
PT TOTAL ORGANIC CARBON										T
PT TOX										
PT CHEMICAL OXYGEN DEMAND	ŀ	-						1		
PIA PHENOLICS	LM	3	1.M						1	
40mi VOA VIALTRAVEL BLANK	1				1			<u> </u>		
40ml VOA VIAŁ	12,3	B 3	B 3	1	,	1 1	ι	1 1	1 1	(1
QT EPA 413.1, 413.2, 418.1			-		·				1	1
PT ODOR	N	N	p			 			 	1
RADIOLOGICAL	F	F	F	_	 	 		-	†	+
BACTERIOLOGICAL	<u> </u>	•		***	<u> </u>	1	! 	· ····	 	
40 ml VOA V1AL- 50:4	C (27	((1)	C (2)		 	 			┼──	-
OT EFA 508/608/8080		D	0	 	1	 		-	 -	
QT EPA 515.1/8150	P		Ř			-	<u> </u>		-	
	হ	<u>P</u>		 -				ļ	 	
QT EPA 525	×	Q	R	 		ļ			 	
OT EPA 325 TRAVEL BLANK	10	10	D	<u> </u>	-	 		<u> </u>	 	
100cal EPA 547	R	7	R.			ļ	ļ	ļ		
100ml EPA 531.1	1	S	<u>S</u>	ļ		1	ļ	1		
QT EPA 348	T	Τ	7							
OT EPA 540	Ju	ч	ч	L						
QT 6PA 632	<u></u>								1	
QT EPA 8015M						1		1	1	
QT AMBER	VW	VW	VW	<u> </u>	74	1	1	 	-	-
8 OZ. JAR HAAS	X	Х	X	\vdash	-[1	<u> </u>		1	+
REGIZIAR GOV	な	ú	4	<u> </u>	 	1	 -		+	
SOIL SLEEVE	- - 	1	├ ॏ ──	 	 	+	 	+	+	+
	1	 	 			-	- -			
PCB VIAL	 		 	 _					-	-∤
PLASTIC BAG		ļ	1	+	+					
PERROUS IR ON			 		-	-				
entrone other (Sgallon)	P	A	A		<u></u>					
SMARUKIT										
Comments:					-1		<u></u>	<u> </u>		<u></u>
Sample Numbering Completed By: Re	<u> </u>	Dat	e/Time: U	25 12	0 1·					
A = Actual C = Councied	f		1		□-*-					
										



Reported: 05/23/2013 13:14
Project: Water Analysis
Project Number: Annual Title 21

Project Number: Annual Title
Project Manager: Joe Ybarra

Laboratory / Client Sample Cross Reference

Laboratory	Client Sample Informati	ou		
1308436-01	COC Number:		Receive Date:	04/17/2013 12:30
	Project Number:	eue	Sampling Date:	04/25/2013 12:40
	Sampling Location:		Sample Depth:	
	Sampling Point:	Crystal Springs Spring Water	Lab Matrix:	Water
	Sampled By:	Joe Ybarra	Sample Type:	Blank Water
1308436-02	COC Number:		Receive Date:	04/17/2013 12:30
	Project Number:		Sampling Date:	04/25/2013 13:00
	Sampling Location:		Sample Depth:	
	Sampling Point:	Crystal Springs Drinking Water	Lab Matrix:	Water
	Sampled By:	Joe Ybarra	Sample Type:	Blank Water
1308436-03	COC Number:	 -	Receive Date:	04/17/2013 12:30
	Project Number:		Sampling Date:	04/25/2013 13:20
	Sampling Location:		Sample Depth:	
	Sampling Point:	Crystal Springs Distilled Water	Lab Matrix:	Water
	Sampled By:	Joe Ybarra	Sample Type:	Blank Water
1308436-04	COC Number:		Receive Date:	04/17/2013 12:30
	Project Number:		Sampling Date:	04/25/2013 13:45
	Sampling Location:	ww.	Sample Depth:	
	Sampling Point:	Crystal Springs Fluoridated Water	Lab Matrix:	Water
	Sampled By:	Joe Ybarra	Sample Type:	Blank Water



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID: 13	308436-01	Client Samp	le Name:	Crystal Spri	ngs Spring V	vater, 4/2	5/2013 12:40	2013 12:40:00PM, Joe Ybarra		
Constituent		Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Inorganics										
Chloride		EPA-300.0	12	mg/L	1	0,50	250	04/26/13	04/26/13 11:06	
Fluoride		EPA-300.0	ND	mg/L	1	0.050	2.0	04/26/13	04/26/13 11:06	
Nitrate as N		EPA-300.0	1.6	mg/L	1	0.10	10	04/26/13	04/26/13 11:06	
Sulfate		EPA-300.0	2.9	mg/L	1	1.0	250	04/26/13	04/26/13 11:06	
Nitrate + Nitrite as N		Calc	1.6	mg/L	1	0.10	10	04/25/13	05/03/13 16:48	
Furbidity		EPA-180.1	ND	NT Units	1	0.10	5	04/25/13	04/25/13 20:00	
Nitrite as N		EPA-353.2	ND	mg/L	1	0.050	1	04/26/13	04/26/13 09:33	
Metals										
Total Recoverable Aluminum	·	EPA-200.7	ND	mg/L	1	0.050	0,2	04/29/13	04/29/13 17:28	
Total Recoverable Antimony		EPA-200,8	ND	mg/L	1	0.0020	0.006	04/29/13	04/29/13 17:24	
Total Recoverable Arsenic		EPA-200,8	ND	mg/L	1	0.0020	0.010	04/29/13	04/29/13 17:24	
Fotal Recoverable Barium		EPA-200.7	ND	mg/L	1	0.010	2	04/29/13	04/29/13 17:28	
Total Recoverable Beryllium		EPA-200.8	ND	mg/L	1	0.0010	0.004	04/29/13	04/29/13 17:24	
Total Recoverable Cadmium		EPA-200.8	ND	mg/L	1	0.0010	0,005	04/29/13	04/29/13 17:24	
Total Recoverable Chromiu	m	EPA-200.7	0.016	mg/L	1	0.010	0.1	04/29/13	04/29/13 17:28	
Total Recoverable Copper		EPA-200,7	ND	mg/L	1	0,010	1.0	04/29/13	04/29/13 17:28	
Total Recoverable Iron		EPA-200.7	ND	mg/L	1	0,050	0.3	04/29/13	04/29/13 17:28	
Fotal Recoverable Lead		EPA-200.8	ND	mg/L	1	0.0010	0.005	04/29/13	04/29/13 17:24	
Total Recoverable Manganes	se	EPA-200.7	ND	mg/L	1	0.010	0.05	04/29/13	04/29/13 17:28	
Total Recoverable Nickel		EPA-200.7	ND	mg/L	t	0.010	0.1	04/29/13	04/29/13 17:28	
Total Recoverable Selenium		EPA-200,8	ND	mg/L	1	0.0020	0.05	04/29/13	05/01/13 00:36	
Total Recoverable Silver		EPA-200.7	ND	mg/L	1	0.010	0.1	04/29/13	04/29/13 17:28	
Total Recoverable Thallium		EPA-200.8	ND	mg/L	1	0.0010	0.002	04/29/13	04/29/13 17:24	
Total Recoverable Zinc		EPA-200.7	ND	mg/L.	1	0.050	5.0	04/29/13	04/29/13 17:28	
Organics										
1,2-Dibromo-3-chloropropane		EPA-504.1	ND	ug/L	0.939	0.010	0.2	05/07/13	05/07/13 17:50	
Ethylene dibromide		EPA-504.1	ND	ug/L	0,939	0.010	0.05	05/07/13	05/07/13 17:50	
Aldrin		EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
alpha-BHC		EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
beta-BHC		EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
delta-BHC		EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
gamma-BHC (Lindane)		EPA-508	ND	ug/L	1	0.0050	0.2	04/26/13	04/30/13 00:32	
Chlordane (Technical)		EPA-508	ND	ug/L	1	0.10	2	04/26/13	04/30/13 00:32	



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID: 1308436-01	Client Samp	le Name:	Crystal Spr	ings Spring	Water, 4/25	5/2013 12:40	:40:00PM, Joe Ybarra		
Constituent	Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics									
4,4'-DDD	EPA-508	ND	ug/L	1	0.0050	· · · · · · · · · · · · · · · · · · ·	04/26/13	04/30/13 00:32	
4,4'-DDE	EPA-508	ND	ug/L	1	0,0050		04/26/13	04/30/13 00:32	•
4,4'-DDT	EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
Dieldrin	EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
Endosulfan I	EPA-508	ND	ug/L	1	0,0050		04/26/13	04/30/13 00:32	
Endosulfan II	EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00:32	
Endosulfan sulfate	EPA-508	ND	ug/L	1	0.0050		04/26/13	04/30/13 00;32	
Endrin	EPA-508	ND	ug/L	1	0.0050	2	04/26/13	04/30/13 00:32	
Endrin aldehyde	EPA-508	ND	ug/L	1	0.010		04/26/13	04/30/13 00:32	
Heptachlor	EPA-508	ND	ug/L	1	0.0050	0.4	04/26/13	04/30/13 00:32	
Heptachlor epoxide	EPA-508	ND	ug/L	1	0.0050	0.2	04/26/13	04/30/13 00:32	
Methoxychlor	EPA-508	NĎ	ug/L	1	0.0050	40	04/26/13	04/30/13 00:32	
Toxaphene	EPA-508	ND	ug/L	1	1.0	3	04/26/13	04/30/13 00:32	· <u> </u>
PCB-1016	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1221	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1232	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1242	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1248	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1254	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
PCB-1260	EPA-508	ND	ug/L	1	0.20		04/26/13	04/30/13 00:32	
Total PCB's (Summation)	EPA-508	ND	ug/L	1	0.20	0.5	04/26/13	04/30/13 00:32	
TCMX (Surrogate)	EPA-508	92.3	%	1	40 - 140 (L	CL - UCL)	04/26/13	04/30/13 00:32	
Dibutyl chlorendate (Surrogate)	EPA-508	91.9	%	1	50 - 130 (Li	CL - UCL)	04/26/13	04/30/13 00:32	
Bentazon	EPA-515.1	ND	ug/L	1	0.80		04/26/13	05/04/13 22:33	
2,4-D	EPA-515.1	ND	ug/L	1	0.40	70	04/26/13	05/04/13 22:33	
Dalapon	EPA-515.1	ND	ug/L	1	5.0	200	04/26/13	05/04/13 22:33	
Dicamba	EPA-515.1	ND	ug/L	1	0.080		04/26/13	05/04/13 22:33	
Dinoseb	EPA-515.1	ND	ug/L	1	0.20	7	04/26/13	05/04/13 22:33	
2,4,5-TP (Silvex)	EPA-515,1	ND	ug/L	1	0.070	50	04/26/13	05/04/13 22:33	
2,4-Dichlorophenylacetic acid (Surrogate)	EPA-515.1	122	%	1	30 - 140 (L	CL - UCL)	04/26/13	05/04/13 22:33	
Benzene	EPA-524.2	ND	ug/L	1	0.50	5	04/30/13	04/30/13 16:26	
Bromobenzene	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Bromochloromethane	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Bromodichloromethane	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Bromoform	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	•



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID:	1308436-01	Client Samp	le Name:	Crystal Springs Spring Water, 4/25/2013 12:40:00PM, Joe Ybarra						
Constituent		Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics							<u></u>			
Bromomethane		EPA-524,2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	V11
n-Butylbenzene		EPA-524.2	ND	ug/L	1	0,50		04/30/13	04/30/13 16:26	
sec-Butylbenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
tert-Butylbenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Carbon tetrachloride		EPA-524,2	ND	ug/L	1	0.50	5	04/30/13	04/30/13 16:26	
Chlorobenzene		EPA-524.2	ND	ug/L	1	0.50	100	04/30/13	04/30/13 16:26	
Chloroethane		EPA-524.2	ND	ug/L	1	0,50		04/30/13	04/30/13 16:26	
Chloroform		EPA-524.2	0.63	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Chloromethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
2-Chlorotoluene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
4-Chlorotoluene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Dibromochloromethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
1,2-Dibromo-3-chloroprop	ane	EPA-524.2	ND	ug/L	1	1.0	0.2	04/30/13	04/30/13 16:26	
1,2-Dibromoethane		EPA-524.2	ND	ug/L	1	0,50		04/30/13	04/30/13 16:26	
Dibromomethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
1,2-Dichlorobenzene		EPA-524.2	ND	ug/L	1	0.50	600	04/30/13	04/30/13 16:26	
1,3-Dichlorobenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
1,4-Dichlorobenzene		EPA-524.2	ND	ug/L	1	0.50	75	04/30/13	04/30/13 16:26	-
Dichlorodifluoromethane		EPA-524.2	ND	ug/L	1	0,50		04/30/13	04/30/13 16:26	
1,1-Dichloroethane	31 21 27 100 1 2	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
1,2-Dichloroethane		EPA-524.2	ND	ug/L	1	0.50	5	04/30/13	04/30/13 16:26	
1,1-Dichloroethene		EPA-524.2	ND	ug/L	1	0.50	7	04/30/13	04/30/13 16:26	
cis-1,2-Dichloroethene		EPA-524.2	ND	ug/L	1	0.50	70	04/30/13	04/30/13 16:26	.
trans-1,2-Dichloroethene	1-10	EPA-524.2	ND	ug/L	1	0.50	100	04/30/13	04/30/13 16:26	-
1,2-Dichloropropane		EPA-524,2	ИD	ug/L	1	0.50	5	04/30/13	04/30/13 16:26	
1,3-Dichloropropane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	_ .
2,2-Dichloropropane		EPA-524.2	ND	ug/L	1	0,50		04/30/13	04/30/13 16:26	•
1,1-Dichloropropene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
cis-1,3-Dichloropropene		EPA-524.2	ND	ug/L.	1	0.50		04/30/13	04/30/13 16:26	
trans-1,3-Dichloropropene)	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Total 1,3-Dichloropropens		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	"
Ethylbenzene	***	EPA-524.2	ND	ug/L	1	0.50	700	04/30/13	04/30/13 16:26	
Hexachlorobutadiene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
Isopropylbenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	
p-Isopropyltoluene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26	



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID: 1	308436-01	Client Samp	le Name:	Crystal Springs Spring Water, 4/25/2013 12:40:00PM, Joe Ybarra							
Constituent		Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals	
Organics											
Methylene chloride		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
Methyl t-butyl ether		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
Naphthalene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
n-Propylbenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
Styrene		EPA-524.2	ND	ug/L	1	0.50	100	04/30/13	04/30/13 16:26		
1,1,1,2-Tetrachloroethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,1,2,2-Tetrachloroethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
Tetrachloroethene		EPA-524.2	ND	ug/L	1	0.50	5	04/30/13	04/30/13 16:26		
Toluene		EPA-524.2	ND	ug/L	1	0.50	1000	04/30/13	04/30/13 16:26		
1,2,3-Trichlorobenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,2,4-Trichlorobenzene		EPA-524.2	ND	ug/L	1	0.50	70	04/30/13	04/30/13 16:26		
1,1,1-Trichloroethane		EPA-524.2	ND	ug/L	1	0.50	200	04/30/13	04/30/13 16:26		
1,1,2-Trichloroethane		EPA-524.2	ND	ug/l.	1	0.50	5	04/30/13	04/30/13 16:26		
Trichloroethene		EPA-524.2	ND	ug/L	1	0.50	5	04/30/13	04/30/13 16:26		
Trichlorofluoromethane		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,2,3-Trichloropropane		EPA-524.2	ND	ug/L	1	1.0		04/30/13	04/30/13 16:26		
1,1,2-Trichloro-1,2,2-trifluoro	ethane	EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,2,4-Trimethylbenzene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,3,5-Trimethylbenzene		EPA-524,2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
Vinyl chloride		EPA-524.2	ND	ug/L	1	0.50	2	04/30/13	04/30/13 16:26		
Total Xylenes		EPA-524.2	ND	ug/L	1	1.0	10000	04/30/13	04/30/13 16:26		
Total Trihalomethanes		EPA-524.2	ND	ug/L	1	2.0	10	04/30/13	04/30/13 16:26		
t-Amyl Methyl ether		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
t-Butyl alcohol		EPA-524.2	ND	ug/L	1	10		04/30/13	04/30/13 16:26		
Ethyl t-butyl ether		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
p- & m-Xylenes		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
o-Xylene		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16:26		
1,2-Dichloroethane-d4 (Surr	ogate)	EPA-524.2	110	%	1	75 - 125 (l	.CL - UCL)	04/30/13	04/30/13 16:26		
Toluene-d8 (Surrogate)		EPA-524.2	102	%	1	80 - 120 (l	.CL - UCL)	04/30/13	04/30/13 16:26		
4-Bromofluorobenzene (Sur	rogate)	EPA-524.2	88.7	%	1	80 - 120 (I	.CL - UCL)	04/30/13	04/30/13 16:26		
Acenaphthylene		EPA-525.2	ND	ug/L	1	0.10	-	04/26/13	05/15/13 21:13		
Alachior		EPA-525,2	ND	ug/L	1	0.20	2	04/26/13	05/15/13 21:13		
Anthracene		EPA-525.2	ND	ug/L	1	0.10	<u> </u>	04/26/13	05/15/13 21:13		
Atraton		EPA-525.2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13		
Atrazine		EPA-525.2	ND	ug/L	1	0.30	3	04/26/13	05/15/13 21:13		



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID:	1308436-01	Client Sample Name:		Crystal Spr	ings Spring	Water, 4/2	25/2013 12:40	2:40:00PM, Joe Ybarra		
Constituent		Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals
Organics										
Benzo[a]anthracene		EPA-525,2	ND	ug/L	1	0.20		04/26/13	05/15/13 21:13	
Benzo[b]fluoranthene		EPA-525,2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Benzo[k]fluoranthene		EPA-525.2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Benzo[a]pyrene		EPA-525.2	ND	ug/L	1	0.10	0.2	04/26/13	05/15/13 21:13	
Benzo[g,h,i]perylene		EPA-525,2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Benzyl butyl phthalate		EPA-525,2	ND	ug/L	1	4.0		04/26/13	05/15/13 21:13	
delta-BHC		EPA-525.2	ND	ug/L	1	0.20	<u>-</u>	04/26/13	05/15/13 21:13	
gamma-BHC (Lindane)		EPA-525.2	ND	ug/L	1	0.10	0.2	04/26/13	05/15/13 21:13	
Bromacil		EPA-525,2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Chrysene		EPA-525.2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Diazinon		EPA-525.2	ND	ug/L	1	0.20		04/26/13	05/15/13 21:13	
Dibenzo[a,h]anthracene		EPA-525.2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Di(2-ethylhexyl)adipate		EPA-525.2	ND	ug/L	1	1.0	400	04/26/13	05/15/13 21:13	·
Dimethoate	· · · ·	EPA-525.2	ND	ug/L	1	2.0		04/26/13	05/15/13 21:13	
Dimethyl phthalate		EPA-525,2	ND	ug/L	1	1.0		04/26/13	05/15/13 21:13	
Di-n-butyl phthalate		EPA-525.2	ND	ug/L	1	1.0		04/26/13	05/15/13 21:13	
Fluorene		EPA-525.2	ND	ug/L	1	0.20		04/26/13	05/15/13 21:13	
Hexachlorobenzene		EPA-525.2	ND	ug/L	1	0.10	1	04/26/13	05/15/13 21:13	
Hexachlorocyclopentadie	n e	EPA-525.2	ND	ug/L	1	1.0	50	04/26/13	05/15/13 21:13	
Indeno[1,2,3-cd]pyrene	2016 OF 1990	EPA-525.2	ND	ug/L	1	0.30		04/26/13	05/15/13 21:13	
Methoxychlor		EPA-525,2	ND	ug/L	1	0.30	40	04/26/13	05/15/13 21:13	
Metolachlor		EPA-525,2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Metribuzin		EPA-525.2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Molinate	,	EPA-525.2	ND	ug/L	1	0.50	*****	04/26/13	05/15/13 21:13	
Phenanthrene		EPA-525,2	ND	ug/L	1	0.10		04/26/13	05/15/13 21:13	
Prometon		EPA-525,2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Prometryn		EPA-525.2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Pyrene		EPA-525.2	ND	ug/L	1	0.10		04/26/13	05/15/13 21:13	
Secbumeton		EPA-525,2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Simazine		EPA-525.2	ND	ug/L	1	0.30	4	04/26/13	05/15/13 21:13	
Terbutryn		EPA-525.2	ND	ug/L	1	0.50		04/26/13	05/15/13 21:13	
Thiobencarb	·	EPA-525.2	ND	ug/L	1	0,50		04/26/13	05/15/13 21:13	
Perylene-d12 (Surrogate)		EPA-525.2	83.6	%	1	60 - 140 (LCL - UCL)	04/26/13	05/15/13 21:13	
Endothal		EPA-548.1	ND	ug/L	1	20	100	04/29/13	05/07/13 15:29	
Diquat		EPA-549.2	ND	ug/L	1	4.0	20	04/30/13	05/04/13 11:45	



Reported: 05/23/2013 13:14 Project: Water Analysis

BCL Sample ID:	1308436-01	Client Sam	ple Name:	Crystal Sprin	ngs Spring	Water, 4/2	5/2013 12:40	0:00PM, Joe Ybarra			
Constituent		Method	Result	Units	Dilution	PQL	BW-MCL	Prep Date	Run Date/Time	Lab Quals	
Uncategorized											
Pentachlorophenol		EPA-515.1	ND	ug/L	1	0,050		04/26/13	05/04/13 22:33		
Picloram		EPA-515.1	ND	ug/L	1	0.050		04/26/13	05/04/13 22:33		
Diisopropyl ether		EPA-524.2	ND	ug/L	1	0.50		04/30/13	04/30/13 16;26		
bis(2-Ethylhexyl)phthalate		EPA-525.2	ND	ug/L	1	3.0		04/26/13	05/15/13 21:13		
1,3-Dimethyl-2-nitrobenzer	ne (Surrogate)	EPA-525.2	97.4	%	1	70 - 140 (L	CL - UCL)	04/26/13	05/15/13 21:13		
Triphenylphosphate (Surro	gate)	EPA-525.2	71.8	%	1	70 - 140 (L	CL - UCL)	04/26/13	05/15/13 21:13		
Dibromoacetic acid		EPA-552.3	ND	ug/L	1	1.0		04/30/13	05/05/13 17:39		
Dichloroacetic acid		EPA-552,3	ND	ug/L	1	1.0		04/30/13	05/05/13 17:39		
Monobromoacetic acid		EPA-552.3	ND	ug/L	1	1.0		04/30/13	05/05/13 17:39		
Monochloroacetic acid		EPA-552.3	ND	ug/l.	1	1.0		04/30/13	05/05/13 17:39	-	
Trichloroacetic acid		EPA-552,3	ND	ug/L	1	1.0	· · · · ·	04/30/13	05/05/13 17:39		
Total HAA's (Summation)		EPA-552.3	ND	ug/L	1	1.0		04/30/13	05/05/13 17:39		
2,3-Dibromopropionic acid	(Surrogate)	EPA-552.3	94.0	%	1	70 - 130 (L	CL - UCL)	04/30/13	05/05/13 17:39		
Total Recoverable Calcius	m	EPA-200.7	3.5	mg/L	1	0.10		04/29/13	04/29/13 17:28		
Total Recoverable Magne	sium	EPA-200.7	53	mg/L	1	0.050		04/29/13	04/29/13 17:28		
Total Recoverable Sodiur	n	EPA-200.7	6.9	mg/L	1	0.50		04/29/13	04/29/13 17:28		
Total Recoverable Potassi	um	EPA-200.7	ND	mg/L	1	1.0		04/29/13	04/29/13 17:28		
Total Dissolved Solids @	180 C	SM-2640C	260	mg/L	2	20		04/26/13	04/26/13 07:20		
Color		SM-2120B	1.0	Color Units	1	1.0		04/25/13	04/25/13 20:00		
Odor		SM-2150B	No Obs Odor	Odor Units	1	1.0		04/25/13	04/25/13 20:00		
Total Cyanide		EPA-335.4	ND	mg/L	1	0.0050		04/26/13	04/26/13 14:39		
Total Recoverable Mercury	/	EPA-200.8	ND	mg/L	1	0.00020		04/29/13	04/29/13 17:24		